



Fig. 6. Results for the multinomial and Gaussian distributions using sequences of 7 and 10 objects averaged over 100 splits of data

the current state of the system (MI) and actively selecting which uncertain position to look at produces excellent results.

REFERENCES

- [1] C.B Akgul, B.Sankur, Y. Yemez, and F.Schmitt. 3d model retrieval using probability density-based shape descriptors. In *IEEE Transactions of Pattern Analysis and Machine Intelligence*, volume 31, 2009.
- [2] A.Singh A.Krause and C.Guestrin. Near-optimal sensor placements in gaussian processes: Theory, efficient algorithms and empirical studies. *Journal of Machine Learning Research*, 2008.
- [3] B.Krishnapuram, C.M. Bishop, and M.Szumner. Generative models and bayesian model comparison for shape recognition. *Ninth International Workshop on Frontiers of Handwriting Recognition*, 2004.
- [4] H. Borotschnig, L. Paletta, M. Prantl, and A. Pinz. Active object recognition in parametric eigenspace. In *British Machine Vision Conference (BMVC)*, pages 629–638, 1998.
- [5] D.Macrini, C.Whiten, R.Laganieri, and M.Greenspan. Probabilistic shape parsing for view-based object recognition. In *21st International Conference on Pattern Recognition*, 2012.
- [6] E.Sommerlade and I.Reid. Information-theoretic active scene exploration. In *IEEE Conference on Computer Vision and Pattern Recognition*, 2008.
- [7] R. C. Gonzalez and R. E. Woods. *Digital Image Processing*. Prentice Hall, 2002.
- [8] R. M. Haralick and L. G. Shapiro. *Computer and Robot Vision*. Addison-Wesley Longman Publishing, 1992.
- [9] J.Denzler and C.M. Brown. Information theoretic sensor data selection for active object recognition and state estimation. In *IEEE Transactions on PAMI*, 2002.
- [10] J.M.Glover. Probabilistic procrustean models for shape recognition with an application to robotic grasping. Master's thesis, MIT, 2008.
- [11] H. Kauppinen, T. Seppanen, and M. Pietikainen. An experimental comparison of autoregressive and fourier-based descriptors in 2d shape classification. In *IEEE Transaction on Pattern Analysis and Machine Intelligence*, volume 17, pages 201–207, 1995.
- [12] R. D. D. Leon and L. E. Sucar. Human silhouette recognition with fourier descriptors. In *15th International Conference on Pattern Recognition*, pages 709–712, 2000.
- [13] G. Lu and A. Sajjanahr. Region-based shape representation and similarity measure suitable for content-based image retrieval. In *IEEE Transactions on Pattern Analysis and Machine Learning*, pages 164–174, 1999.
- [14] P. J. Van Otterloo. *A Contour oriented Approach to Shape Analysis*. Prentice Hall, 1991.
- [15] E. Persoon and K. Fu. Shape discrimination using fourier descriptors. In *IEEE Transaction On Systems, Man and Cybernetics*, pages 170–179, 1977.
- [16] T. W. Rauber. Two-dimensional shape description. Technical report, University Nova de Lisboa, Portugal, 1994.
- [17] R.Rosales S.Yu, B.Krishnapuram and R.Rao. Active sensing. In *IEEE International Conference on Artificial Intelligence and Statistics (AISTATS)*, pages 639 – 646, 2009.
- [18] G. Taubin. *Recognition and Positioning of Rigid Objects using Algebraic and Moment Invariants*. PhD thesis, Brown University, December 1990.
- [19] C. H. Teh and R. T. Chin. On image analysis by the methods of moments. In *IEEE Transactions on Pattern Analysis and Machine Intelligence*, volume 10, 1988.
- [20] Q. M. Tieng and W. W. Boles. Recognition of 2d object contours using wavelet transform zero crossing representation. In *IEEE Transaction on Pattern Analysis and Machine Learning*, 1997.
- [21] F. J. Janse van Rensburg, J. Treurnicht, and C. J. Fourie. The use of fourier descriptors for object recognition in robotic assembly. In *5th CIRP International Seminar on Intelligent Computation in Manufacturing Engineering*, 2006.
- [22] H. S. Yang, S. U. Lee, and K. M. Lee. Recognition of 2d contours using starting-point-independent wavelet coefficient matching. In *Journal of Visual Communication and Image Representation*, volume 9, pages 171–181, 1998.
- [23] C. T. Zahn and R. Z. Roskies. Fourier descriptors for plane closed curves. In *IEEE Transaction on Computer*, volume 21, pages 269–281, 1972.
- [24] D. Zhang and G. Lu. A comparative study on shape retrieval using fourier descriptors with different shape signatures. In *Victoria*, volume 14, pages 1–9, 2001.