

Fig. 6. Results for the multinomial and Guassian distributions using sequences of 7 and 10 objects averaged over 100 splits of data

the current state of the system (MI) and actively selecting which uncertain position to look at produces excellent results.

## REFERENCES

- C.B Akgul, B.Sankur, Y. Yemez, and F.Schmitt. 3d model retrieval using probability density-based shape descriptors. In *IEEE Transactions of Pattern Analysis and Machine Intelligence*, volume 31, 2009.
- [2] A.Singh A.Krause and C.Guestrin. Near-optimal sensor placements in gaussian processes: Theory, efficient algorithms and empirical studies. *Journal of Machine Learning Research*, 2008.
- [3] B.Krishnapuram, C.M. Bishop, and M.Szummer. Generative models and bayesian model comparison for shape recognition. *Ninth International Workshop on Frontiers of Handwriting Recognition*, 2004.
- [4] H. Borotschnig, L. Paletta, M. Prantl, and A. Pinz. Active object recognition in parametric eigenspace. In *British Machine Vision Conference* (BMVC), pages 629–638, 1998.
- [5] D.Macrini, C.Whiten, R.Laganiere, and M.Greenspan. Probabilistic shape parsing for view-based object recognition. In 21st International Conference on Pattern Recognition, 2012.
- [6] E.Sommerlade and I.Reid. Information-theoretic active scene exploration. In *IEEE Conference on Computer Vision and Pattern Recognition*, 2008.
- [7] R. C. Gonzalez and R. E. Woods. Digital Image Processing. Prentice Hall. 2002.
- [8] R. M. Haralick and L. G. Shapiro. Computer and Robot Vision. Addision-Wesley Longman Publishing, 1992.
- [9] J.Denzler and C.M. Brown. Information theoretic sensor data selection for active object recognition and state estimation. In *IEEE Transactions* on *PAMI*, 2002.
- [10] J.M.Glover. Probabilistic procrustean models for shape recognition with an application to robotic grasping. Master's thesis, MIT, 2008.
- [11] H. Kauppinen, T. Seppanen, and M. Pietikainen. An experimental comparison of autoregressive and fourier-based descriptors in 2d shape classification. In *IEEE Transaction on Pattern Analysis and Machine Intelligence*, volume 17, pages 201–207, 1995.
- [12] R. D. D. Leon and L. E. Sucar. Human silhouette recognition with fourier descriptors. In 15th International Conference on Pattern Recognition, pages 709–712, 2000.
- [13] G. Lu and A. Sajjanahr. Region-based shape representation and similarity measure suitable for content-based image retrieval. In *IEEE Transactions on Pattern Analysis and Machine Learning*, pages 164–174, 1999.
- [14] P. J. Van Otterloo. A Contour oriented Approach to Shape Analysis. Prentice Hall, 1991.

- [15] E. Persoon and K. Fu. Shape discrimination using fourier descriptors. In *IEEE Transaction On Systems, Man and Cybernetics*, pages 170–179, 1977.
- [16] T. W. Rauber. Two-dimensional shape description. Technical report, University Nova de Lisboa, Portugal, 1994.
- [17] R.Rosales S.Yu, B.Krishnapuram and R.Rao. Active sensing. In IEEE International Conference on Artificial Intelligence and Statistics (AISTATS), pages 639 – 646, 2009.
- [18] G. Taubin. Recognition and Positionning of Rigid Objects using Algebraic and Moment Invariants. PhD thesis, Brown University, December 1990.
- [19] C. H. Teh and R. T. Chin. On image analysis by the methods of moments. In *IEEE Transactions on Pattern Analysis and Machine Intelligence*, volume 10, 1988.
- [20] Q. M. Tieng and W. W. Boles. Recognition of 2d object contours using wavelet transform zero crossing representation. In *IEEE Transaction on Pattern Analysis and Machine Learning*, 1997.
- [21] F. J. Janse van Rensburg, J. Treurnicht, and C. J. Fourie. The use of fourier descriptors for object recognition in robotic assembly. In 5th CIRP International Seminar on Intelligent Computation in Manufacturing Engineering, 2006.
- [22] H. S. Yang, S. U. Lee, and K. M. Lee. Recognition of 2d contours using starting-point-independent wavelet coefficient matching. In *Journal of Visual Communication and Image Representation*, volume 9, pages 171–181, 1998.
- [23] C. T. Zahn and R. Z. Roskies. Fourier descriptors for plane closed curves. In *IEEE Transaction on Computer*, volume 21, pages 269–281, 1972
- [24] D. Zhang and G. Lu. A comparative study on shape retrieval using fourier descriptors with different shape signatures. In *Victoria*, volume 14, pages 1–9, 2001.